

Table C34A. Fuel Oil Consumption and Expenditure Intensities for All Buildings, 2003

| | Fuel Oil Consumption | | Fuel Oil Expenditures | | |
|--|------------------------|---------------------------|---------------------------------|---------------------------|----------------------|
| | per Building (gallons) | per Square Foot (gallons) | per Building (thousand dollars) | per Square Foot (dollars) | per Gallon (dollars) |
| All Buildings | 3,533 | 0.10 | 3.9 | 0.11 | 1.11 |
| Building Floorspace (Square Feet) | | | | | |
| 1,001 to 5,000 | 1,177 | 0.41 | 1.4 | 0.48 | 1.18 |
| 5,001 to 10,000 | 2,573 | 0.36 | 3.0 | 0.42 | 1.17 |
| 10,001 to 25,000 | 3,045 | 0.19 | 3.6 | 0.23 | 1.18 |
| 25,001 to 50,000 | 5,184 | 0.14 | 5.6 | 0.15 | 1.09 |
| 50,001 to 100,000 | 8,508 | 0.11 | 9.3 | 0.12 | 1.10 |
| 100,001 to 200,000 | 12,639 | 0.09 | 13.1 | 0.09 | 1.03 |
| 200,001 to 500,000 | 22,181 | 0.08 | 23.4 | 0.08 | 1.05 |
| Over 500,000 | 14,248 | 0.02 | 14.7 | 0.02 | 1.03 |
| Principal Building Activity | | | | | |
| Education | 12,911 | 0.18 | 13.7 | 0.19 | 1.06 |
| Food Sales | Q | Q | Q | Q | Q |
| Food Service | Q | Q | Q | Q | Q |
| Health Care | 5,755 | 0.04 | 6.0 | 0.04 | 1.05 |
| Inpatient | 9,252 | 0.04 | 9.6 | 0.04 | 1.04 |
| Outpatient | Q | Q | Q | Q | Q |
| Lodging | 9,024 | 0.12 | 9.6 | 0.12 | 1.07 |
| Mercantile | 3,013 | Q | 3.3 | 0.10 | 1.08 |
| Retail (Other Than Mall) | 3,084 | Q | 3.2 | Q | 1.04 |
| Enclosed and Strip Malls | Q | Q | Q | Q | Q |
| Office | 1,932 | 0.03 | 2.3 | 0.04 | 1.18 |
| Public Assembly | 4,990 | 0.22 | 5.5 | 0.24 | 1.10 |
| Public Order and Safety | 2,489 | Q | Q | Q | Q |
| Religious Worship | 3,431 | 0.29 | Q | Q | Q |
| Service | Q | Q | 1.8 | 0.27 | 1.17 |
| Warehouse and Storage | 1,779 | 0.05 | 2.0 | 0.06 | 1.12 |
| Other | Q | Q | Q | Q | Q |
| Vacant | Q | Q | Q | Q | Q |
| Year Constructed | | | | | |
| Before 1920 | 3,647 | 0.28 | 4.1 | 0.32 | 1.11 |
| 1920 to 1945 | 7,425 | 0.20 | 8.0 | 0.21 | 1.07 |
| 1946 to 1959 | 4,452 | 0.16 | 5.0 | 0.19 | 1.13 |
| 1960 to 1969 | 4,345 | 0.16 | 4.8 | 0.17 | 1.10 |
| 1970 to 1979 | 2,680 | 0.07 | 3.0 | 0.08 | 1.13 |
| 1980 to 1989 | 1,299 | 0.03 | 1.5 | 0.03 | 1.19 |
| 1990 to 1999 | 1,293 | 0.03 | 1.4 | 0.03 | 1.11 |
| 2000 to 2003 | 2,128 | Q | 2.4 | Q | 1.14 |
| Census Region and Division | | | | | |
| Northeast | 5,021 | 0.20 | 5.5 | 0.22 | 1.10 |
| New England | 4,288 | 0.30 | 4.8 | 0.33 | 1.11 |
| Middle Atlantic | 5,691 | 0.16 | 6.2 | 0.18 | 1.10 |
| Midwest | 2,248 | 0.06 | 2.3 | 0.06 | 1.04 |
| East North Central | Q | Q | 1.9 | 0.03 | 0.92 |
| West North Central | 2,437 | 0.10 | 2.7 | Q | 1.12 |
| South | 1,155 | 0.02 | 1.4 | 0.03 | 1.21 |
| South Atlantic | 1,506 | 0.03 | 1.8 | 0.04 | 1.21 |
| East South Central | 449 | 0.02 | Q | Q | Q |
| West South Central | 336 | 0.00 | 0.4 | 0.00 | 1.27 |
| West | 1,714 | Q | Q | Q | 1.28 |
| Mountain | Q | Q | Q | Q | 1.32 |
| Pacific | Q | 0.02 | Q | Q | 1.25 |

CONTINUED

Table C34A. Fuel Oil Consumption and Expenditure Intensities for All Buildings, 2003

| | Fuel Oil Consumption | | Fuel Oil Expenditures | | |
|--|---------------------------|------------------------------|------------------------------------|------------------------------|-------------------------|
| | per Building (gallons) | per Square Foot (gallons) | per Building (thousand dollars) | per Square Foot (dollars) | per Gallon (dollars) |
| All Buildings | 3,533 | 0.10 | 3.9 | 0.11 | 1.11 |
| Climate Zone: 30-Year Average | | | | | |
| Under 2,000 CDD and -- | | | | | |
| More than 7,000 HDD | 3,113 | 0.17 | 3.3 | 0.18 | 1.04 |
| 5,500-7,000 HDD | 3,226 | 0.11 | 3.8 | 0.13 | 1.16 |
| 4,000-5,499 HDD | 6,338 | 0.13 | 7.0 | 0.15 | 1.10 |
| Fewer than 4,000 HDD | 841 | 0.02 | 1.1 | 0.02 | 1.28 |
| 2,000 CDD or More and -- | | | | | |
| Fewer than 4,000 HDD | 500 | 0.00 | 0.6 | 0.00 | 1.27 |
| Number of Establishments | | | | | |
| One | 3,537 | 0.14 | 3.9 | 0.16 | 1.11 |
| 2 to 5 | 3,106 | 0.08 | 3.5 | 0.09 | 1.14 |
| 6 to 10 | 4,079 | 0.07 | 4.3 | 0.08 | 1.04 |
| 11 to 20 | Q | 0.02 | 5.5 | 0.02 | 1.01 |
| More than 20 | Q | Q | Q | Q | 1.09 |
| Currently Unoccupied | Q | Q | Q | Q | Q |
| Energy Sources (more than one may apply) | | | | | |
| Electricity | 3,546 | 0.10 | 3.9 | 0.11 | 1.11 |
| Natural Gas | 5,091 | 0.06 | 5.6 | 0.07 | 1.09 |
| Fuel Oil | 3,533 | 0.10 | 3.9 | 0.11 | 1.11 |
| District Heat | 2,124 | 0.01 | 2.2 | 0.01 | 1.03 |
| Energy End Uses (more than one may apply) | | | | | |
| Buildings with Space Heating | 3,536 | 0.10 | 3.9 | 0.11 | 1.11 |
| Buildings with Cooling | 4,164 | 0.09 | 4.6 | 0.10 | 1.10 |
| Buildings with Water Heating | 4,028 | 0.10 | 4.4 | 0.11 | 1.10 |
| Annual Consumption (gallons) | | | | | |
| 1,000 or Less | 372 | 0.01 | 0.5 | 0.01 | 1.32 |
| 1,001 to 5,000 | 2,267 | 0.10 | 2.8 | 0.13 | 1.24 |
| 5,001 to 10,000 | 6,745 | 0.22 | 8.0 | 0.27 | 1.19 |
| 10,001 to 25,000 | 14,804 | 0.22 | 15.7 | 0.24 | 1.06 |
| Over 25,000 | 55,107 | 0.36 | 56.6 | 0.37 | 1.03 |

See "Guide to the Tables" or "Glossary" for further explanations of the terms used in this table. Both can be accessed from the CBECS web site <http://www.eia.doe.gov/emeu/cbeecs>.

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

N=No responding cases in sample that use fuel oil.

Notes: • Statistics for the "Energy End Uses" category represent total consumption in buildings that have the end use, not consumption specifically for that particular end use. • Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Forms EIA-871A, C, and E of the 2003 Commercial Buildings Energy Consumption Survey.