

Table B34. Percent of Floorspace Heated, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated
All Buildings*	4,645	663	523	498	2,962	64,783	4,756	6,850	8,107	45,071
Building Floorspace (Square Feet)										
1,001 to 5,000	2,552	452	262	258	1,580	6,789	1,121	738	731	4,198
5,001 to 10,000	889	107	112	99	570	6,585	799	889	724	4,173
10,001 to 25,000	738	79	107	89	463	11,535	1,148	1,742	1,420	7,225
25,001 to 50,000	241	16	22	27	176	8,668	608	842	941	6,278
50,001 to 100,000	129	Q	13	13	98	9,057	Q	916	926	6,877
100,001 to 200,000	65	Q	5	6	52	9,064	Q	703	779	7,228
200,001 to 500,000	25	Q	Q	4	19	7,176	Q	Q	1,168	5,404
Over 500,000	7	Q	Q	2	4	5,908	Q	Q	1,418	3,688
Principal Building Activity										
Education	386	Q	Q	27	340	9,874	Q	Q	1,017	8,586
Food Sales	226	Q	Q	Q	130	1,255	Q	Q	Q	791
Food Service	297	Q	Q	52	211	1,654	Q	Q	292	1,113
Health Care	129	Q	Q	21	97	3,163	Q	Q	465	2,569
Inpatient	8	N	N	1	7	1,905	N	N	325	1,580
Outpatient	121	Q	Q	Q	90	1,258	Q	Q	Q	989
Lodging	142	Q	12	16	114	5,096	Q	234	605	4,155
Retail (Other Than Mall).....	443	Q	64	74	270	4,317	Q	657	787	2,631
Office	824	22	47	102	653	12,208	279	541	2,222	9,167
Public Assembly	277	Q	26	34	198	3,939	Q	259	590	2,928
Public Order and Safety	71	Q	Q	Q	58	1,090	Q	Q	Q	929
Religious Worship	370	Q	Q	39	295	3,754	Q	Q	404	2,897
Service	622	107	99	68	348	4,050	364	542	521	2,624
Warehouse and Storage	597	280	153	14	149	10,078	1,952	3,320	728	4,077
Other	79	Q	Q	Q	55	1,738	Q	Q	Q	1,473
Vacant	182	113	Q	Q	45	2,567	1,077	Q	Q	1,132
Year Constructed										
Before 1920	330	27	48	55	200	3,769	102	635	676	2,356
1920 to 1945	527	85	60	70	312	6,871	635	819	1,066	4,351
1946 to 1959	562	69	55	70	368	7,045	511	506	869	5,159
1960 to 1969	579	55	65	52	407	8,101	591	557	867	6,086
1970 to 1979	731	83	68	82	497	10,772	549	998	1,248	7,978
1980 to 1989	707	88	84	73	460	10,332	524	1,054	1,361	7,394
1990 to 1999	876	157	93	78	549	12,360	1,106	1,370	1,480	8,403
2000 to 2003	334	98	50	18	168	5,533	737	911	540	3,345
Census Region										
Northeast	726	54	74	84	514	12,905	309	1,387	1,539	9,671
Midwest	1,266	154	117	141	853	17,080	748	1,130	1,727	13,474
South	1,775	312	236	168	1,059	23,489	2,491	2,841	2,891	15,266
West	878	143	95	105	535	11,310	1,208	1,491	1,950	6,661
Climate Zone: 30-Year Average										
Under 2,000 CDD and --										
More than 7,000 HDD	855	103	97	95	560	10,622	513	1111	1377	7,620
5,500-7,000 HDD	1,173	117	104	113	837	17,335	615	1,109	1,735	13,876
4,000-5,499 HDD	673	47	89	81	455	11,504	265	1,325	1,713	8,202
Fewer than 4,000 HDD	1,276	225	146	150	754	15,739	1,773	1,845	2,349	9,772
2,000 CDD or More and --										
Fewer than 4,000 HDD	669	171	85	58	355	9,584	1,589	1,460	932	5,602

CONTINUED

Table B34. Percent of Floorspace Heated, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated
All Buildings*	4,645	663	523	498	2,962	64,783	4,756	6,850	8,107	45,071
Number of Floors										
One	3,136	570	353	292	1,921	25,981	3,237	3,336	2,534	16,875
Two	1,031	70	135	111	714	16,270	862	2,027	1,643	11,739
Three	339	Q	21	69	228	7,501	Q	749	1,049	5,401
Four to Nine	128	Q	13	22	91	10,085	Q	556	1,601	7,587
Ten or More	12	Q	Q	3	8	4,947	Q	Q	1,280	3,470
Number of Workers (main shift)										
Fewer than 5	2,653	573	352	251	1,477	15,492	3,311	2,406	1,318	8,457
5 to 9	778	46	80	98	555	6,166	344	918	858	4,046
10 to 19	563	27	56	68	412	7,803	394	1,049	843	5,517
20 to 49	398	Q	23	50	313	10,989	Q	1,106	1,240	8,476
50 to 99	147	Q	7	18	115	7,934	Q	641	980	6,028
100 to 249	77	Q	Q	7	66	6,871	Q	Q	743	5,696
250 or More	30	Q	Q	5	23	9,528	Q	Q	2,123	6,851
Weekly Operating Hours										
Fewer than 40	1,002	250	115	81	555	6,863	1,617	842	509	3,895
40 to 48	1,117	80	140	118	779	11,622	694	1,389	1,091	8,447
49 to 60	1,062	96	132	120	713	15,723	960	2,055	2,035	10,672
61 to 84	591	57	55	90	389	10,334	323	971	1,797	7,244
85 to 167	400	69	39	38	254	7,092	412	828	681	5,171
Open Continuously	475	111	41	50	273	13,149	750	765	1,994	9,641
Vacancy Status										
Completely Vacant	157	97	Q	Q	39	2,161	940	Q	Q	943
Mostly Vacant	25	Q	Q	Q	Q	406	Q	Q	Q	Q
Partially Vacant	548	116	74	62	296	12,382	891	1,367	2,307	7,817
Not At All Vacant	3,915	434	435	425	2,620	49,834	2,788	5,185	5,740	36,122
Energy Sources (more than one may apply)										
Electricity	4,404	432	520	498	2,953	63,307	3,315	6,829	8,107	45,055
Natural Gas	2,391	47	231	317	1,796	43,468	494	4,006	5,965	33,002
Fuel Oil	451	Q	62	56	325	15,157	Q	1,253	2,480	11,209
District Heat	67	Q	Q	5	60	5,443	Q	Q	636	4,716
District Chilled Water	33	Q	Q	3	28	2,853	Q	Q	342	2,328
Propane	502	Q	88	58	342	7,076	Q	1,178	1,009	4,602
Other	132	Q	Q	Q	104	1,401	Q	Q	Q	1,142
Space-Heating Energy Sources (more than one may apply)										
Electricity	1,766	N	275	229	1,261	28,600	N	4,077	4,355	20,168
Natural Gas	2,165	N	214	294	1,658	36,959	N	3,685	5,077	28,197
Fuel Oil	360	N	57	48	254	5,988	N	772	846	4,370
District Heat	65	N	Q	5	59	5,198	N	Q	631	4,541
Propane	372	N	64	41	266	3,204	N	587	344	2,272
Other	113	N	Q	Q	89	842	N	Q	Q	679

CONTINUED

Table B34. Percent of Floorspace Heated, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated
All Buildings*	4,645	663	523	498	2,962	64,783	4,756	6,850	8,107	45,071
Primary Space-Heating Energy Source										
Electricity	1,258	N	222	146	891	15,996	N	2,890	2,164	10,943
Natural Gas	1,999	N	192	272	1,534	32,970	N	3,029	4,707	25,233
Fuel Oil	282	N	42	41	199	3,818	N	565	459	2,793
District Heat	63	N	Q	5	57	4,907	N	Q	574	4,307
Propane	308	N	54	33	221	1,955	N	280	203	1,473
Other	72	N	Q	N	60	382	N	Q	N	322
Energy End Uses (more than one may apply)										
Buildings with Space Heating	3,982	N	523	498	2,962	60,028	N	6,850	8,107	45,071
Buildings with Cooling	3,625	156	425	448	2,596	56,940	1,752	6,013	7,768	41,407
Buildings with Water Heating	3,472	135	368	427	2,542	56,478	1,324	5,404	7,683	42,067
Buildings with Cooking	801	37	44	99	620	22,237	511	711	3,215	17,799
Buildings with Manufacturing	119	Q	24	Q	76	3,138	Q	812	Q	1,763
Buildings with Electricity Generation	149	Q	10	14	123	12,821	Q	576	2,102	9,957
Percent of Floorspace Cooled										
Not Cooled	1,020	507	97	49	366	7,843	3,004	836	339	3,664
1 to 50	985	51	373	93	469	16,598	745	5,201	1,906	8,746
51 to 99	629	30	17	322	260	13,211	322	300	5,399	7,189
100	2,011	76	35	33	1,867	27,132	684	512	463	25,472
Percent Lit When Open										
Zero	47	Q	Q	N	Q	293	Q	Q	N	Q
1 to 50	929	133	247	83	466	10,203	909	2,916	1,046	5,333
51 to 99	1,108	73	87	263	685	18,288	640	1,248	4,132	12,267
100	2,176	143	157	137	1,739	32,789	1,214	2,343	2,863	26,370
Building Never Open/ Electricity Not Used	386	276	Q	Q	68	3,210	1,767	Q	Q	1,068
Heating Equipment (more than one may apply)										
Heat Pumps	476	N	37	61	378	8,814	N	670	1,497	6,647
Packaged Heat Pumps	278	N	19	33	226	5,442	N	393	825	4,224
Split-System Heat Pumps	166	N	Q	22	127	2,581	N	Q	426	1,877
Individual Room Heat Pumps	58	N	Q	12	46	2,691	N	Q	587	2,086
Furnaces	1,864	N	240	241	1,383	19,615	N	2,852	2,597	14,165
Individual Space Heaters	819	N	178	114	527	12,545	N	2,055	1,943	8,547
District Heat	65	N	Q	5	58	5,166	N	Q	631	4,509
Boilers	579	N	30	77	472	20,423	N	792	3,110	16,521
Packaged Heating Units	953	N	109	138	706	18,021	N	2,390	2,546	13,085
Other	205	N	29	22	153	3,262	N	279	476	2,507
HVAC Conservation Features (more than one may apply)										
Variable Air-Volume System	466	25	27	55	358	19,597	489	1,004	3,035	15,070
Economizer Cycle	508	Q	31	80	386	21,108	Q	942	3,420	16,466
HVAC Maintenance	2,581	90	234	332	1,925	51,163	1,351	4,542	6,910	38,359
Energy Management and Control System (EMCS)	252	Q	9	33	203	15,630	Q	541	2,502	12,414

CONTINUED

Table B34. Percent of Floorspace Heated, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated	All Buildings*	Not Heated	1 to 50 Percent Heated	51 to 99 Percent Heated	100 Percent Heated
All Buildings*	4,645	663	523	498	2,962	64,783	4,756	6,850	8,107	45,071
Equipment Usage Reduced When Building Not In Full Use (more than one may apply)^a										
Heating	2,878	N	382	362	2,135	42,722	N	4,451	5,917	32,353
Cooling	2,761	111	324	352	1,974	43,205	1,228	4,350	6,118	31,508
Lighting	3,685	288	437	418	2,542	46,987	2,189	5,541	5,939	33,319
Office Equipment	1,504	58	186	164	1,095	19,397	759	2,244	2,118	14,277

See "Guide to the Tables" or "Glossary" for further explanations of the terms used in this table. Both can be accessed from the CBECS web site - <http://www.eia.doe.gov/emeu/cbecs>.

* Figures in this table do not include enclosed malls and strip malls. Mall buildings add an estimated 213 thousand buildings comprising 6.9 billion square feet.

^aThe definition for one or more of these row items has changed and may not be directly comparable with past CBECS estimates. See "Guide to the Tables" for discussion of the differences.

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

N=No responding cases in sample.

Notes: • HVAC = Heating, Ventilation, and Air Conditioning. • Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 2003 Commercial Buildings Energy Consumption Survey.

Table B35. Percent of Floorspace Cooled, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled
All Buildings*	4,645	1,020	985	629	2,011	64,783	7,843	16,598	13,211	27,132
Building Floorspace (Square Feet)										
1,001 to 5,000	2,552	710	407	279	1,155	6,789	1,782	1,206	781	3,021
5,001 to 10,000	889	157	226	133	374	6,585	1,177	1,704	995	2,710
10,001 to 25,000	738	109	225	126	277	11,535	1,612	3,517	2,034	4,372
25,001 to 50,000	241	25	64	43	109	8,668	893	2,369	1,479	3,928
50,001 to 100,000	129	11	41	25	52	9,057	726	2,926	1,751	3,654
100,001 to 200,000	65	5	14	14	32	9,064	725	1,984	1,954	4,402
200,001 to 500,000	25	Q	6	7	10	7,176	Q	1,822	2,057	2,685
Over 500,000	7	Q	Q	2	3	5,908	Q	Q	2,159	2,360
Principal Building Activity										
Education	386	34	49	46	257	9,874	673	1,993	2,228	4,980
Food Sales	226	Q	38	69	104	1,255	Q	252	508	438
Food Service	297	Q	38	56	189	1,654	Q	276	359	948
Health Care	129	Q	Q	26	95	3,163	Q	Q	893	2,148
Inpatient	8	Q	Q	2	6	1,905	Q	Q	605	1,229
Outpatient	121	N	Q	25	89	1,258	N	Q	288	919
Lodging	142	Q	23	24	83	5,096	Q	Q	1,361	2,790
Retail (Other Than Mall).....	443	37	115	86	205	4,317	238	1,048	1,091	1,940
Office	824	34	97	143	549	12,208	176	1,093	3,508	7,432
Public Assembly	277	64	39	45	128	3,939	462	649	1,140	1,688
Public Order and Safety	71	Q	26	13	21	1,090	Q	184	221	638
Religious Worship	370	62	54	55	199	3,754	453	626	696	1,979
Service	622	252	231	44	95	4,050	789	2,151	435	675
Warehouse and Storage	597	330	213	Q	43	10,078	2,783	6,314	Q	652
Other	79	Q	31	4	22	1,738	Q	685	368	584
Vacant	182	130	23	Q	Q	2,567	1,731	523	Q	Q
Year Constructed										
Before 1920	330	98	95	50	87	3,769	878	1,320	728	842
1920 to 1945	527	146	107	79	196	6,871	1,952	1,990	1,445	1,484
1946 to 1959	562	132	125	81	224	7,045	999	2,083	1,490	2,473
1960 to 1969	579	112	131	64	272	8,101	976	2,202	1,734	3,189
1970 to 1979	731	121	146	133	331	10,772	799	2,751	2,112	5,110
1980 to 1989	707	129	151	90	335	10,332	496	2,061	2,324	5,450
1990 to 1999	876	181	165	97	433	12,360	1,056	3,000	2,421	5,883
2000 to 2003	334	100	65	35	133	5,533	686	1,190	956	2,701
Census Region										
Northeast	726	208	184	97	237	12,905	1,952	4,270	3,101	3,582
Midwest	1,266	309	293	197	467	17,080	2,596	4,757	3,761	5,966
South	1,775	296	366	195	918	23,489	1,936	4,915	3,903	12,735
West	878	208	142	140	388	11,310	1,359	2,656	2,446	4,849
Climate Zone: 30-Year Average										
Under 2,000 CDD and --										
More than 7,000 HDD	855	277	207	118	253	10,622	2,072	3,133	2,327	3,089
5,500-7,000 HDD	1,173	290	245	184	453	17,335	2,810	4,657	3,568	6,300
4,000-5,499 HDD	673	91	195	92	295	11,504	558	3,422	3,297	4,227
Fewer than 4,000 HDD	1,276	273	215	162	626	15,739	1,762	3,480	2,803	7,693
2,000 CDD or More and --										
Fewer than 4,000 HDD	669	88	123	74	384	9,584	641	1,906	1,215	5,822

CONTINUED

Table B35. Percent of Floorspace Cooled, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled
All Buildings*	4,645	1,020	985	629	2,011	64,783	7,843	16,598	13,211	27,132
Number of Floors										
One	3,136	795	607	361	1,372	25,981	4,562	7,975	3,508	9,936
Two	1,031	167	249	161	453	16,270	1,726	4,806	3,068	6,670
Three	339	49	92	72	126	7,501	1,064	1,626	1,629	3,182
Four to Nine	128	8	37	30	53	10,085	411	1,917	2,927	4,829
Ten or More	12	Q	Q	5	6	4,947	Q	Q	2,078	2,515
Number of Workers (main shift)										
Fewer than 5	2,653	907	555	259	932	15,492	5,901	3,819	1,438	4,334
5 to 9	778	53	176	122	428	6,166	440	2,046	1,077	2,603
10 to 19	563	40	130	103	289	7,803	499	2,999	1,347	2,958
20 to 49	398	12	82	98	206	10,989	423	3,361	2,629	4,576
50 to 99	147	8	31	22	86	7,934	506	2,034	1,585	3,810
100 to 249	77	Q	9	16	50	6,871	Q	1,152	1,696	3,958
250 or More	30	Q	2	8	19	9,528	Q	1,188	3,439	4,893
Weekly Operating Hours										
Fewer than 40	1,002	407	143	82	371	6,863	2,865	1,207	658	2,132
40 to 48	1,117	166	273	140	538	11,622	1,114	3,136	2,222	5,150
49 to 60	1,062	179	283	149	450	15,723	1,966	4,598	2,973	6,186
61 to 84	591	70	136	114	272	10,334	643	3,192	2,448	4,051
85 to 167	400	62	79	73	186	7,092	383	2,328	1,354	3,027
Open Continuously	475	137	71	71	195	13,149	872	2,137	3,555	6,585
Vacancy Status										
Completely Vacant	157	117	Q	Q	Q	2,161	1,577	Q	Q	Q
Mostly Vacant	25	Q	Q	Q	Q	406	Q	Q	Q	Q
Partially Vacant	548	153	129	65	201	12,382	1,298	2,795	3,145	5,144
Not At All Vacant	3,915	736	832	557	1,789	49,834	4,814	13,280	9,992	21,747
Energy Sources (more than one may apply)										
Electricity	4,404	780	983	629	2,011	63,307	6,381	16,583	13,211	27,132
Natural Gas	2,391	238	601	402	1,150	43,468	2,444	12,132	9,732	19,159
Fuel Oil	451	152	120	57	121	15,157	1,267	3,384	4,493	6,013
District Heat	67	Q	9	9	37	5,443	Q	370	1,626	2,657
District Chilled Water	33	N	Q	5	27	2,853	N	Q	829	1,985
Propane	502	103	149	67	184	7,076	1,363	2,620	1,119	1,974
Other	132	54	37	19	22	1,401	176	503	304	418
Cooling Energy Sources (more than one may apply)										
Electricity	3,589	N	978	625	1,986	54,321	N	16,465	12,327	25,529
Natural Gas	17	N	Q	2	11	1,018	N	Q	360	541
District Chilled Water	33	N	Q	5	27	2,853	N	Q	829	1,985
Energy End Uses (more than one may apply)										
Buildings with Space Heating	3,982	513	934	599	1,936	60,028	4,839	15,852	12,888	26,448
Buildings with Cooling	3,625	N	985	629	2,011	56,940	N	16,598	13,211	27,132
Buildings with Water Heating	3,472	360	810	560	1,742	56,478	3,246	14,671	12,741	25,819
Buildings with Cooking	801	58	129	154	460	22,237	786	3,593	6,608	11,250
Buildings with Manufacturing	119	Q	59	10	23	3,138	Q	1,695	524	437
Buildings with Electricity Generation	149	Q	30	34	80	12,821	Q	1,839	4,225	6,683

CONTINUED

Table B35. Percent of Floorspace Cooled, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled	All Buildings*	Not Cooled	1 to 50 Percent Cooled	51 to 99 Percent Cooled	100 Percent Cooled
All Buildings*	4,645	1,020	985	629	2,011	64,783	7,843	16,598	13,211	27,132
Percent of Floorspace Heated										
Not Heated	663	507	51	30	76	4,756	3,004	745	322	684
1 to 50	523	97	373	17	35	6,850	836	5,201	300	512
51 to 99	498	49	93	322	33	8,107	339	1,906	5,399	463
100	2,962	366	469	260	1,867	45,071	3,664	8,746	7,189	25,472
Percent Lit When Open										
Zero	47	Q	Q	N	Q	293	Q	Q	N	Q
1 to 50	929	231	378	89	231	10,203	1,668	4,053	1,755	2,727
51 to 99	1,108	132	210	304	462	18,288	1,156	3,820	6,366	6,947
100	2,176	286	374	228	1,289	32,789	2,229	8,311	5,055	17,194
Building Never Open/ Electricity Not Used	386	330	Q	Q	Q	3,210	2,552	Q	Q	Q
Cooling Equipment (more than one may apply)										
Residential-Type Central										
Air Conditioners	1,006	N	284	182	540	11,035	N	4,453	2,332	4,250
Heat Pumps	492	N	76	82	335	9,041	N	1,573	2,334	5,134
Packaged Heat Pumps	288	N	43	43	202	5,426	N	808	1,346	3,272
Split-System Heat Pumps	174	N	32	34	108	2,606	N	623	655	1,329
Individual Room Heat Pumps	58	N	Q	15	41	2,940	N	Q	895	1,728
Individual Air Conditioners	742	N	349	119	274	12,558	N	5,424	3,170	3,964
District Chilled Water	33	N	Q	5	27	2,853	N	Q	829	1,985
Central Chillers	111	N	9	31	72	11,636	N	462	4,304	6,870
Packaged Air Conditioning										
Units	1,613	N	348	313	952	29,969	N	8,900	7,331	13,738
Swamp Coolers	122	N	36	43	43	1,561	N	489	522	550
Other	40	N	Q	Q	22	1,232	N	Q	261	766
HVAC Conservation Features (more than one may apply)										
Variable Air-Volume System	466	16	72	84	294	19,597	342	2,863	5,549	10,843
Economizer Cycle	508	N	78	128	303	21,108	N	3,062	6,716	11,331
HVAC Maintenance	2,581	253	547	419	1,362	51,163	3,228	12,648	11,627	23,660
Energy Management and Control System (EMCS)	252	5	27	53	167	15,630	272	1,823	4,934	8,601
Equipment Usage Reduced When Building Not In Full Use (more than one may apply)^a										
Heating	2,878	366	698	432	1,382	42,722	2,857	11,363	9,666	18,835
Cooling	2,761	N	788	474	1,499	43,205	N	12,888	10,297	20,020
Lighting	3,685	563	866	530	1,727	46,987	4,399	13,673	9,368	19,548
Office Equipment	1,504	136	421	204	743	19,397	1,648	6,258	3,372	8,119

See "Guide to the Tables" or "Glossary" for further explanations of the terms used in this table. Both can be accessed from the CBECS web site - <http://www.eia.doe.gov/emeu/cbeecs>.

* Figures in this table do not include enclosed malls and strip malls. Mall buildings add an estimated 213 thousand buildings comprising 6.9 billion square feet.

^a The definition for one or more of these row items has changed and may not be directly comparable with past CBECS estimates. See "Guide to the Tables" for discussion of the differences.

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

N=No responding cases in sample.

Notes: • HVAC = Heating, Ventilation, and Air Conditioning. • Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 2003 Commercial Buildings Energy Consumption Survey.

Table B36. Percent of Floorspace Lit When Open, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit
All Buildings*	4,645	432	929	1,108	2,176	64,783	3,503	10,203	18,288	32,789
Building Floorspace (Square Feet)										
1,001 to 5,000	2,552	304	524	540	1,184	6,789	777	1,372	1,482	3,158
5,001 to 10,000	889	77	149	220	444	6,585	558	1,124	1,671	3,233
10,001 to 25,000	738	28	184	203	323	11,535	373	2,810	3,179	5,173
25,001 to 50,000	241	12	47	80	102	8,668	454	1,705	2,807	3,702
50,001 to 100,000	129	Q	16	37	69	9,057	Q	1,146	2,570	4,903
100,001 to 200,000	65	Q	7	18	37	9,064	Q	1,025	2,442	5,187
200,001 to 500,000	25	Q	Q	8	14	7,176	Q	Q	2,389	3,985
Over 500,000	7	Q	Q	2	4	5,908	Q	Q	1,748	3,448
Principal Building Activity										
Education	386	Q	28	107	248	9,874	Q	332	4,202	5,299
Food Sales	226	Q	Q	45	142	1,255	Q	Q	317	812
Food Service	297	Q	43	61	192	1,654	Q	276	362	1,004
Health Care	129	N	Q	45	72	3,163	N	Q	1,230	1,841
Inpatient	8	N	Q	3	5	1,905	N	Q	817	1,060
Outpatient	121	N	Q	42	67	1,258	N	Q	414	781
Lodging	142	N	56	33	53	5,096	N	1,298	1,524	2,274
Retail (Other Than Mall).....	443	Q	63	126	254	4,317	Q	471	1,226	2,618
Office	824	N	144	274	406	12,208	N	1,088	4,585	6,535
Public Assembly	277	Q	74	76	114	3,939	Q	1,266	977	1,675
Public Order and Safety	71	Q	26	16	24	1,090	Q	137	242	691
Religious Worship	370	N	106	122	143	3,754	N	1,676	1,053	1,025
Service	622	43	149	113	316	4,050	145	617	825	2,463
Warehouse and Storage	597	187	165	65	180	10,078	990	2,410	1,328	5,351
Other	79	Q	Q	23	33	1,738	Q	Q	417	1,201
Vacant	182	169	Q	N	N	2,567	2,237	Q	N	N
Year Constructed										
Before 1920	330	30	117	81	102	3,769	241	1,264	1,132	1,132
1920 to 1945	527	57	113	124	233	6,871	557	1,417	1,731	3,166
1946 to 1959	562	50	125	134	253	7,045	410	1,295	2,026	3,313
1960 to 1969	579	36	131	133	279	8,101	383	1,456	2,437	3,824
1970 to 1979	731	45	106	199	380	10,772	524	1,117	3,487	5,645
1980 to 1989	707	61	131	167	348	10,332	309	1,193	3,077	5,752
1990 to 1999	876	96	159	192	429	12,360	610	1,653	3,074	7,024
2000 to 2003	334	57	47	77	153	5,533	469	808	1,324	2,933
Census Region										
Northeast	726	42	187	170	327	12,905	505	2,750	3,599	6,051
Midwest	1,266	145	279	355	488	17,080	1,247	2,753	5,299	7,781
South	1,775	201	281	357	936	23,489	1,293	3,189	6,134	12,874
West	878	44	182	227	425	11,310	458	1,512	3,256	6,083
Climate Zone: 30-Year Average										
Under 2,000 CDD and --										
More than 7,000 HDD	855	102	178	229	346	10,622	637	1,956	3,666	4,362
5,500-7,000 HDD	1,173	85	278	319	491	17,335	1,085	2,667	4,929	8,654
4,000-5,499 HDD	673	43	158	160	311	11,504	315	2,132	3,133	5,924
Fewer than 4,000 HDD	1,276	129	217	250	680	15,739	889	2,066	3,804	8,979
2,000 CDD or More and --										
Fewer than 4,000 HDD	669	72	98	150	348	9,584	576	1,382	2,756	4,870

CONTINUED

Table B36. Percent of Floorspace Lit When Open, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit
All Buildings*	4,645	432	929	1,108	2,176	64,783	3,503	10,203	18,288	32,789
Number of Floors										
One	3,136	361	533	656	1,585	25,981	1,985	3,655	5,594	14,747
Two	1,031	53	264	283	431	16,270	826	3,394	4,633	7,415
Three	339	Q	103	117	104	7,501	Q	1,561	2,505	3,107
Four to Nine	128	Q	28	47	51	10,085	Q	1,179	3,721	4,822
Ten or More	12	N	Q	4	6	4,947	N	Q	1,835	2,697
Number of Workers (main shift)										
Fewer than 5	2,653	426	726	497	1,003	15,492	3,412	4,560	2,585	4,935
5 to 9	778	Q	114	231	429	6,166	Q	1,741	1,651	2,751
10 to 19	563	Q	56	165	341	7,803	Q	1,512	2,155	4,124
20 to 49	398	Q	27	128	242	10,989	Q	1,235	3,297	6,427
50 to 99	147	Q	5	49	92	7,934	Q	678	2,915	4,314
100 to 249	77	N	Q	26	50	6,871	N	Q	2,337	4,453
250 or More	30	N	Q	10	19	9,528	N	Q	3,348	5,784
Weekly Operating Hours										
Fewer than 40	1,002	279	199	198	325	6,863	2,696	1,257	1,177	1,734
40 to 48	1,117	Q	240	293	561	11,622	Q	2,233	3,401	5,881
49 to 60	1,062	Q	216	282	549	15,723	Q	2,697	4,614	8,296
61 to 84	591	Q	88	164	328	10,334	Q	1,082	3,468	5,762
85 to 167	400	Q	58	86	226	7,092	Q	706	2,000	4,192
Open Continuously	475	76	127	85	187	13,149	368	2,228	3,629	6,924
Vacancy Status										
Completely Vacant	157	157	N	N	N	2,161	2,161	N	N	N
Mostly Vacant	25	Q	Q	N	N	406	Q	Q	N	N
Partially Vacant	548	69	145	137	197	12,382	321	2,146	4,399	5,516
Not At All Vacant	3,915	194	771	971	1,980	49,834	945	7,727	13,889	27,273
Energy Sources (more than one may apply)										
Electricity	4,404	190	929	1,108	2,176	63,307	2,026	10,203	18,288	32,789
Natural Gas	2,391	63	473	669	1,187	43,468	1,140	6,486	13,050	22,792
Fuel Oil	451	Q	109	127	205	15,157	Q	2,124	5,298	7,605
District Heat	67	Q	16	14	37	5,443	Q	313	1,896	3,106
District Chilled Water	33	Q	Q	10	21	2,853	Q	Q	1,128	1,541
Propane	502	Q	126	126	238	7,076	Q	1,167	1,964	3,735
Other	132	Q	Q	37	64	1,401	Q	Q	530	667
Energy End Uses (more than one may apply)										
Buildings with Space Heating	3,982	118	796	1,035	2,033	60,028	1,510	9,295	17,648	31,575
Buildings with Cooling	3,625	61	698	976	1,890	56,940	713	8,535	17,132	30,559
Buildings with Water Heating	3,472	72	689	948	1,764	56,478	932	8,621	17,130	29,795
Buildings with Cooking	801	Q	138	231	425	22,237	Q	2,817	7,918	11,367
Buildings with Manufacturing	119	Q	16	35	67	3,138	Q	574	957	1,566
Buildings with Electricity Generation	149	Q	19	55	75	12,821	Q	877	4,895	6,941
Percent of Floorspace Heated										
Not Heated	663	314	133	73	143	4,756	1,993	909	640	1,214
1 to 50	523	31	247	87	157	6,850	343	2,916	1,248	2,343
51 to 99	498	Q	83	263	137	8,107	Q	1,046	4,132	2,863
100	2,962	71	466	685	1,739	45,071	1,102	5,333	12,267	26,370

CONTINUED

Table B36. Percent of Floorspace Lit When Open, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit
All Buildings*	4,645	432	929	1,108	2,176	64,783	3,503	10,203	18,288	32,789
Percent of Floorspace Cooled										
Not Cooled	1,020	371	231	132	286	7,843	2,790	1,668	1,156	2,229
1 to 50	985	24	378	210	374	16,598	414	4,053	3,820	8,311
51 to 99	629	Q	89	304	228	13,211	Q	1,755	6,366	5,055
100	2,011	29	231	462	1,289	27,132	264	2,727	6,947	17,194
Percent Lit When Closed										
Zero	1,964	132	483	442	907	17,385	1,147	3,954	3,842	8,442
1 to 50	1,882	32	299	564	987	30,948	777	3,871	10,447	15,853
51 to 100	136	Q	Q	18	96	2,093	Q	Q	370	1,570
Building Never Closed/ Electricity Not Used	664	265	127	85	187	14,357	1,576	2,228	3,629	6,924
Lighting Equipment Types (more than one may apply)										
Incandescent	2,184	Q	506	673	990	38,528	Q	6,483	12,947	18,667
Standard Fluorescent	3,943	28	814	1,053	2,048	59,688	714	9,412	17,816	31,745
Compact Fluorescent	941	Q	202	290	445	27,571	Q	3,456	9,855	14,115
High Intensity Discharge	455	Q	61	147	238	20,643	Q	1,947	7,153	11,234
Halogen	565	Q	99	174	286	17,703	Q	2,425	6,112	9,110
Other	8	N	Q	Q	Q	269	N	Q	Q	Q
Window and Interior Lighting Features (more than one may apply)										
Multipaned Windows	2,201	75	455	648	1,023	38,910	752	5,918	12,356	19,884
Tinted Window Glass	1,323	28	227	375	694	29,887	883	3,412	9,365	16,227
Reflective Window Glass	308	Q	74	79	146	8,544	Q	915	2,766	4,735
External Overhangs or Awnings	1,233	40	217	351	625	17,242	275	2,143	5,599	9,224
Skylights or Atriums	331	Q	69	104	143	12,546	Q	1,452	4,360	6,612
Daylighting Sensors	74	Q	21	24	28	2,868	Q	347	930	1,562
Specular Reflectors	928	Q	159	294	464	26,118	Q	2,945	8,622	14,233
Electronic Ballasts	2,577	14	493	732	1,337	46,882	481	6,236	14,735	25,429
Energy Management and Control System (EMCS) For Lighting	60	N	Q	14	44	4,781	N	Q	1,650	2,884
Equipment Usage Reduced When Building Not In Full Use (more than one may apply)^b										
Heating	2,878	79	571	771	1,457	42,722	1,034	6,656	12,937	22,095
Cooling	2,761	43	535	749	1,434	43,205	545	6,621	13,352	22,687
Lighting	3,685	N	749	1,007	1,930	46,987	N	7,465	14,401	25,121
Office Equipment	1,504	Q	319	372	798	19,397	Q	3,496	5,299	10,336

CONTINUED

Table B36. Percent of Floorspace Lit When Open, Number of Buildings and Floorspace for Non-Mall Buildings, 2003

	Number of Buildings (thousand)					Total Floorspace (million square feet)				
	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit	All Buildings*	Not Lit ^a	1 to 50 Percent Lit	51 to 99 Percent Lit	100 Percent Lit
All Buildings*	4,645	432	929	1,108	2,176	64,783	3,503	10,203	18,288	32,789

See "Guide to the Tables" or "Glossary" for further explanations of the terms used in this table. Both can be accessed from the CBECS web site - <http://www.eia.doe.gov/emeu/cbeecs>.

* Figures in this table do not include enclosed malls and strip malls. Mall buildings add an estimated 213 thousand buildings comprising 6.9 billion square feet.

^a "Not Lit" includes buildings that were zero percent lit when open, buildings that were never open, and buildings that did not use any electricity.

^b The definition for one or more of these row items has changed and may not be directly comparable with past CBECS estimates. See "Guide to the Tables" for discussion of the differences.

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.

N=No responding cases in sample.

Notes: • HVAC = Heating, Ventilation, and Air Conditioning. • Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 2003 Commercial Buildings Energy Consumption Survey.

Table B37. Heated, Cooled, and Lit Buildings, Floorspace for Non-Mall Buildings, 2003

	Total Floorspace (million square feet)						
	Total Floorspace in All Buildings*	Heated Buildings		Cooled Buildings		Lit Buildings ^c	
		Total Floor- space ^a	Heated Floor- space ^b	Total Floor- space ^a	Cooled Floor- space ^b	Total Floor- space ^a	Lit Floor- space ^b
All Buildings*	64,783	60,028	53,473	56,940	41,788	62,060	51,342
Building Floorspace (Square Feet)							
1,001 to 5,000	6,789	5,668	4,988	5,007	4,017	6,038	4,826
5,001 to 10,000	6,585	5,786	5,010	5,408	3,978	6,090	4,974
10,001 to 25,000	11,535	10,387	8,865	9,922	6,927	11,229	8,618
25,001 to 50,000	8,668	8,060	7,260	7,776	5,663	8,297	6,544
50,001 to 100,000	9,057	8,718	7,815	8,331	5,665	8,912	7,548
100,001 to 200,000	9,064	8,710	8,012	8,339	6,462	8,732	7,470
200,001 to 500,000	7,176	6,907	6,458	6,565	4,702	6,946	6,158
Over 500,000	5,908	5,792	5,065	5,591	4,375	5,816	5,204
Principal Building Activity							
Education	9,874	9,755	9,521	9,200	7,211	9,870	8,983
Food Sales	1,255	1,131	998	1,198	911	1,237	1,129
Food Service	1,654	1,608	1,415	1,583	1,325	1,650	1,391
Health Care	3,163	3,100	2,982	3,157	2,934	3,163	2,937
Inpatient	1,905	1,905	1,846	1,899	1,763	1,905	1,788
Outpatient	1,258	1,195	1,137	1,258	1,171	1,258	1,149
Lodging	5,096	4,994	4,719	4,841	4,082	5,096	3,901
Retail (Other Than Mall).....	4,317	4,075	3,451	4,079	3,147	4,315	3,795
Office	12,208	11,929	11,184	12,032	10,721	12,208	10,846
Public Assembly	3,939	3,777	3,463	3,477	2,791	3,917	2,807
Public Order and Safety	1,090	1,083	1,043	1,043	884	1,074	940
Religious Worship	3,754	3,581	3,344	3,301	2,733	3,754	2,419
Service	4,050	3,687	3,202	3,261	1,504	3,911	3,348
Warehouse and Storage	10,078	8,126	5,341	7,295	2,074	9,125	7,136
Other	1,738	1,691	1,585	1,636	1,075	1,721	1,582
Vacant	2,567	1,491	1,226	836	396	1020	129
Year Constructed							
Before 1920	3,769	3,667	3,069	2,891	1,774	3,554	2,448
1920 to 1945	6,871	6,236	5,546	4,919	3,097	6,367	5,127
1946 to 1959	7,045	6,534	5,972	6,045	4,109	6,727	5,331
1960 to 1969	8,101	7,510	6,991	7,125	5,137	7,972	6,371
1970 to 1979	10,772	10,223	9,261	9,973	7,467	10,381	8,960
1980 to 1989	10,332	9,808	8,750	9,836	7,859	10,087	8,688
1990 to 1999	12,360	11,254	9,876	11,304	8,568	11,828	10,119
2000 to 2003	5,533	4,796	4,008	4,848	3,777	5,144	4,298
Census Region							
Northeast	12,905	12,596	11,393	10,954	7,080	12,559	9,957
Midwest	17,080	16,331	15,191	14,484	10,103	16,246	13,044
South	23,489	20,998	18,226	21,553	17,175	22,325	19,043
West	11,310	10,102	8,663	9,950	7,429	10,930	9,299
Climate Zone: 30-Year Average							
Under 2,000 CDD and --							
More than 7,000 HDD	10,622	10,109	9,095	8,550	5,654	10,108	7,999
5,500-7,000 HDD	17,335	16,720	15,635	14,524	10,287	16,676	13,715
4,000-5,499 HDD	11,504	11,239	9,961	10,946	7,760	11,228	9,235
Fewer than 4,000 HDD	15,739	13,965	12,120	13,977	10,810	14,947	12,821
2,000 CDD or More and --							
Fewer than 4,000 HDD	9,584	7,995	6,661	8,943	7,278	9,102	7,572

CONTINUED

Table B37. Heated, Cooled, and Lit Buildings, Floorspace for Non-Mall Buildings, 2003

	Total Floorspace (million square feet)						
	Total Floorspace in All Buildings*	Heated Buildings		Cooled Buildings		Lit Buildings ^c	
		Total Floor- space ^a	Heated Floor- space ^b	Total Floor- space ^a	Cooled Floor- space ^b	Total Floor- space ^a	Lit Floor- space ^b
All Buildings*	64,783	60,028	53,473	56,940	41,788	62,060	51,342
Number of Floors							
One	25,981	22,744	19,672	21,419	14,604	24,288	20,535
Two	16,270	15,408	13,614	14,544	10,315	15,752	12,377
Three	7,501	7,198	6,477	6,437	4,841	7,242	5,705
Four to Nine	10,085	9,744	9,115	9,673	7,685	9,831	8,300
Ten or More	4,947	4,933	4,595	4,867	4,343	4,947	4,425
Number of Workers (main shift)							
Fewer than 5	15,492	12,182	10,134	9,591	6,482	12,835	8,434
5 to 9	6,166	5,822	4,977	5,726	3,991	6,143	4,622
10 to 19	7,803	7,410	6,455	7,304	4,709	7,791	6,400
20 to 49	10,989	10,822	9,727	10,566	7,410	10,959	9,559
50 to 99	7,934	7,650	7,055	7,428	5,565	7,934	7,015
100 to 249	6,871	6,766	6,361	6,806	5,627	6,871	6,497
250 or More	9,528	9,376	8,765	9,519	8,004	9,528	8,815
Weekly Operating Hours							
Fewer than 40	6,863	5,246	4,505	3,998	3,000	4,922	3,149
40 to 48	11,622	10,928	9,706	10,508	7,649	11,515	9,402
49 to 60	15,723	14,763	12,900	13,757	9,687	15,625	12,909
61 to 84	10,334	10,012	8,917	9,691	6,780	10,312	9,037
85 to 167	7,092	6,680	5,944	6,708	4,592	6,906	6,143
Open Continuously	13,149	12,399	11,502	12,277	10,081	12,781	10,703
Vacancy Status							
Completely Vacant	2,161	1,222	1,016	585	286	676	36
406	Q	Q	Q	Q	Q	Q	Q
Partially Vacant	12,382	11,491	10,179	11,084	8,430	12,062	9,884
Not At All Vacant	49,834	47,046	42,069	45,019	32,962	48,978	41,330
Energy Sources (more than one may apply)							
Electricity	63,307	59,991	53,450	56,925	41,787	62,060	51,342
Natural Gas	43,468	42,974	38,973	41,023	29,979	42,950	35,822
Fuel Oil	15,157	14,942	13,695	13,890	10,538	15,037	12,744
District Heat	5,443	5,378	5,259	4,653	4,100	5,319	4,818
District Chilled Water	2,853	2,734	2,630	2,853	2,682	2,819	2,518
Propane	7,076	6,790	5,768	5,713	3,373	6,990	5,718
Other	1,401	1,399	1,296	1,225	783	1,370	1,158
Space-Heating Energy Sources (more than one may apply)							
Electricity	28,600	28,600	24,717	27,509	20,877	28,358	23,659
Natural Gas	36,959	36,959	33,306	34,725	24,924	36,482	30,599
Fuel Oil	5,988	5,988	5,346	4,804	2,839	5,954	4,561
District Heat	5,198	5,198	5,079	4,408	3,894	5,074	4,589
Propane	3,204	3,204	2,779	2,499	1,672	3,143	2,443
Other	842	842	756	667	347	811	698
Primary Space-Heating Energy Source							
Electricity	15,996	15,996	13,314	15,562	12,446	15,887	13,338
Natural Gas	32,970	32,970	29,900	30,808	21,977	32,500	27,190
Fuel Oil	3,818	3,818	3,384	2,836	1,425	3,800	2,717
District Heat	4,907	4,907	4,805	4,147	3,683	4,783	4,305
Propane	1,955	1,955	1,721	1,553	1,027	1,894	1,516
Other	382	382	349	282	135	351	313

CONTINUED

Table B37. Heated, Cooled, and Lit Buildings, Floorspace for Non-Mall Buildings, 2003

	Total Floorspace (million square feet)						
	Total Floorspace in All Buildings*	Heated Buildings		Cooled Buildings		Lit Buildings ^c	
		Total Floor- space ^a	Heated Floor- space ^b	Total Floor- space ^a	Cooled Floor- space ^b	Total Floor- space ^a	Lit Floor- space ^b
All Buildings*	64,783	60,028	53,473	56,940	41,788	62,060	51,342
Cooling Energy Sources (more than one may apply)							
Electricity	54,321	52,584	46,884	54,321	39,413	54,056	45,376
Natural Gas	1,018	1,018	958	1,018	904	1,018	882
District Chilled Water	2,853	2,734	2,630	2,853	2,682	2,819	2,518
Energy End Uses (more than one may apply)							
Buildings with Space Heating	60,028	60,028	53,473	55,188	40,694	59,215	49,379
Buildings with Cooling	56,940	55,188	49,335	56,940	41,788	56,661	47,647
Buildings with Water Heating	56,478	55,154	49,850	53,232	39,678	56,011	46,938
Buildings with Cooking	22,237	21,725	20,737	21,451	17,514	22,166	18,993
Buildings with Manufacturing	3,138	3,072	2,451	2,655	1,206	3,097	2,537
Buildings with Electricity Generation	12,821	12,635	11,902	12,746	10,689	12,745	11,468
Percent of Floorspace Heated							
Not Heated	4,756	N	N	1,752	1,095	2,845	1,963
1 to 50	6,850	6,850	1,844	6,013	1,958	6,665	4,279
51 to 99	8,107	8,107	6,558	7,768	5,216	8,064	6,590
100	45,071	45,071	45,071	41,407	33,519	44,486	38,510
Percent of Floorspace Cooled							
Not Cooled	7,843	4,839	4,138	N	N	5,400	3,695
1 to 50	16,598	15,852	11,652	16,598	3,957	16,479	12,756
51 to 99	13,211	12,888	11,704	13,211	10,699	13,197	10,948
100	27,132	26,448	25,978	27,132	27,132	26,984	23,943
Percent Lit When Open							
Zero	293	Q	Q	Q	Q	Q	Q
1 to 50	10,203	9,295	6,974	8,535	5,094	10,203	3,454
51 to 99	18,288	17,648	16,043	17,132	13,144	18,288	15,056
100	32,789	31,575	29,245	30,559	23,192	32,789	32,789
Building Never Open/ Electricity Not Used	3,210	1,443	1,172	658	323	754	43
Percent Lit When Closed							
Zero	17,385	15,724	13,502	13,741	9,332	16,238	12,794
1 to 50	30,948	29,929	26,641	28,899	20,816	30,948	25,794
51 to 100	2,093	1,939	1,805	2,008	1,559	2,093	2,051
Building Never Closed/ Electricity Not Used	14,357	12,436	11,525	12,292	10,082	12,781	10,703
Heating Equipment (more than one may apply)							
Heat Pumps	8,814	8,814	8,030	8,780	7,334	8,791	7,742
Packaged Heat Pumps	5,442	5,442	4,994	5,430	4,638	5,419	4,859
Split-System Heat Pumps	2,581	2,581	2,288	2,559	1,959	2,581	2,242
Individual Room Heat Pumps	2,691	2,691	2,572	2,691	2,410	2,691	2,346
Furnaces	19,615	19,615	17,143	17,494	11,616	19,373	15,496
Individual Space Heaters	12,545	12,545	10,714	11,526	7,689	12,380	9,869
District Heat	5,166	5,166	5,047	4,376	3,862	5,042	4,559
Boilers	20,423	20,423	19,351	19,051	14,256	20,201	17,076
Packaged Heating Units	18,021	18,021	15,675	17,745	13,374	17,831	15,311
Other	3,262	3,262	2,939	2,961	2,050	3,213	2,792

CONTINUED

Table B37. Heated, Cooled, and Lit Buildings, Floorspace for Non-Mall Buildings, 2003

	Total Floorspace (million square feet)						
	Total Floorspace in All Buildings*	Heated Buildings		Cooled Buildings		Lit Buildings ^c	
		Total Floor- space ^a	Heated Floor- space ^b	Total Floor- space ^a	Cooled Floor- space ^b	Total Floor- space ^a	Lit Floor- space ^b
All Buildings*	64,783	60,028	53,473	56,940	41,788	62,060	51,342
Cooling Equipment (more than one may apply)							
Residential-Type Central							
Air Conditioners	11,035	10,617	9,180	11,035	7,204	10,960	8,820
Heat Pumps	9,041	8,921	8,119	9,041	7,402	9,024	7,951
Packaged Heat Pumps	5,426	5,407	4,955	5,426	4,589	5,410	4,810
Split-System Heat Pumps	2,606	2,559	2,305	2,606	2,008	2,606	2,278
Individual Room Heat Pumps	2,940	2,887	2,702	2,940	2,496	2,940	2,599
Individual Air Conditioners	12,558	12,167	10,791	12,558	7,516	12,483	9,656
District Chilled Water	2,853	2,734	2,630	2,853	2,682	2,819	2,518
Central Chillers	11,636	11,440	11,008	11,636	10,637	11,630	10,490
Packaged Air Conditioning							
Units	29,969	29,007	26,093	29,969	21,903	29,862	25,304
Swamp Coolers	1,561	1,451	1,324	1,561	1,104	1,553	1,348
Other	1,232	1,203	1,103	1,232	1,025	1,217	1,094
Main Equipment Replaced Since 1990 (more than one may apply)							
Heating	16,403	16,403	14,365	15,190	10,741	16,150	13,014
Cooling	20,995	20,633	18,501	20,995	14,869	20,907	16,996
Lighting Equipment Types (more than one may apply)							
Incandescent	38,528	37,220	34,075	36,075	27,809	38,528	31,489
Standard Fluorescent	59,688	57,351	51,219	55,117	40,412	59,688	49,691
Compact Fluorescent	27,571	26,835	24,856	26,790	21,266	27,571	23,610
High Intensity Discharge	20,643	20,093	17,940	19,054	13,107	20,643	17,913
Halogen	17,703	17,042	15,387	17,115	13,358	17,703	14,999
Other	269	Q	Q	269	256	269	244
HVAC Conservation Features (more than one may apply)							
Variable Air-Volume System	19,597	19,108	17,874	19,255	16,191	19,419	17,205
Economizer Cycle	21,108	20,828	19,603	21,108	17,656	21,030	18,732
HVAC Maintenance	51,163	49,812	45,250	47,935	36,163	50,732	43,125
Energy Management and Control System (EMCS)	15,630	15,457	14,644	15,358	13,119	15,544	14,225
Window and Interior Lighting Features (more than one may apply)							
Multipaned Windows	38,910	38,065	34,478	36,420	27,363	38,424	32,135
Tinted Window Glass	29,887	28,570	25,611	27,941	21,645	29,365	25,280
Reflective Window Glass	8,544	8,403	7,621	8,349	6,716	8,425	7,372
External Overhangs or Awnings	17,242	16,556	14,809	16,380	12,179	17,087	14,640
Skylights or Atriums	12,546	12,217	10,979	12,126	8,539	12,486	10,799
Daylighting Sensors	2,868	2,728	2,541	2,819	2,280	2,868	2,444
Specular Reflectors	26,118	25,389	23,288	24,724	18,587	26,118	22,443
Electronic Ballasts	46,882	45,351	40,872	43,881	32,693	46,882	39,880
Energy Management and Control System (EMCS) For Lighting	4,781	4,729	4,424	4,755	4,132	4,781	4,390

CONTINUED

Table B37. Heated, Cooled, and Lit Buildings, Floorspace for Non-Mall Buildings, 2003

	Total Floorspace (million square feet)						
	Total Floorspace in All Buildings*	Heated Buildings		Cooled Buildings		Lit Buildings ^c	
		Total Floor- space ^a	Heated Floor- space ^b	Total Floor- space ^a	Cooled Floor- space ^b	Total Floor- space ^a	Lit Floor- space ^b
All Buildings*	64,783	60,028	53,473	56,940	41,788	62,060	51,342
Equipment Usage Reduced When Building Not In Full Use (more than one may apply)^d							
Heating	42,722	42,722	38,310	39,864	29,378	42,305	35,145
Cooling	43,205	41,977	37,643	43,205	31,409	42,977	35,950
Lighting	46,987	44,799	39,632	42,589	30,335	46,987	39,386
Office Equipment	19,397	18,638	16,582	17,749	12,294	19,349	15,788

See "Guide to the Tables" or "Glossary" for further explanations of the terms used in this table. Both can be accessed from the CBECS web site - <http://www.eia.doe.gov/emeu/cbeecs>.

* Figures in this table do not include enclosed malls and strip malls. Mall buildings add an estimated 213 thousand buildings comprising 6.9 billion square feet.

^a "Total Floorspace" refers to all floorspace in heated, cooled, or lit buildings, including the floorspace that was not heated, cooled, or lit.

^b "Heated Floorspace," "Cooled Floorspace," and "Lit Floorspace" refer only to the portion of the floorspace in these buildings that was reported to be heated, cooled, or lit.

^c Data in "Lit Buildings" are for buildings lit when open or closed. The definition for these columns has changed since the original table release, when they excluded buildings that were lit when closed but not lit when open.

^d The definition for one or more of these row items has changed and may not be directly comparable with past CBECS estimates. See Description of Detailed Tables for explanation of the differences (web address given below).

Q=Data withheld because the Relative Standard Error (RSE) was greater than 50 percent, or fewer than 20 buildings were sampled.
N=No responding cases in sample.

Notes: • HVAC = Heating, Ventilation, and Air Conditioning. • Due to rounding, data may not sum to totals.

Source: Energy Information Administration, Office of Energy Markets and End Use, Form EIA-871A of the 2003 Commercial Buildings Energy Consumption Survey.